

CONTENTS

ACCESSORIES	06
WINDSHIELDS & REAR PANELS	08
DOORS	10
ROOFS	12
VEHICLE & RIDER PROTECTION	13
STORAGE	14
CAB COMFORT	17
HUNT	18
POLARIS NORTHSTAR COOLERS	20
CONNECTED TECHNOLOGY	22
AUDIO	24
LIGHTING	26
WHEELS 8 TYRES	28
WINCHES	36
PLOWS & TRACKS	37
PARTS & GARAGE	38
MAINTENANCE	38
OIL & LUBRICANTS	40
HD PARTS	42
SERVICE PARTS	44
CLEANERS & TRAILERING	46



DESIGNED



TESTED



INTRODUCING OUR NEWEST PARTNER



Introducing an industry exclusive — Rhino-Rack® storage solutions designed specifically for Polaris GENERAL. From opposite sides of the globe, the most capable machines in the off-road world meet a trusted outdoor adventure brand to deliver industry-exclusive bed racks and accessories to help Polaris GENERAL users have more fun and get more done. Designed for perfect integration and tested to off-road standards, a Rhino-Rack-equipped GENERAL will help you get more storage capacity out of your machine — so you can stay prepared for whatever the day may bring.

WE HOLD OUR PARTNERS
TO THE SAME
STANDARDS





WHEELS, TYRES & LIGHTING DESIGNED WITH POLARIS TO MAXIMISE PERFORMANCE
P. 27 & 28



A GLOBAL LEADER IN AUDIO INNOVATION, DESIGN & ENGINEERING P. 24

STANDARDS HIGH. WE DO.

TRUSTED







PRODUCTS SO GOOD THEY REPLACE OR REPAIR THEM FOR LIFE P. 26

KOLPIN OUTDOORS

MAKING PRODUCTS FOR AVID Sportsmen Since 1943 P. 18



BRING IT ALL. Bring It on. P. 14

THE ELEMENTS





COMFORT YOU HAVE TO EXPERIENCE TO BELIEVE

Our cab components create an experience enhancing interior, offering supreme comfort to your vehicle.







Vented Windshield - Hard Coat Poly: P. 08

Windshield Wiper & Washer System: P. 08

Rear Sport Bumper: P. 13

Extreme Kick-Out Rock Sliders: P. 13

Rhino-Rack Rear Bed Rack: P. 14

Polaris Northstar 14 L Cooler: P. 20

Pro Armor 83 cm Combo LED Light Bar: P. 27

Light Bar Harness: P. 27

Vented Windshield - Hard Coat Poly: P. 08

Sport Roof - Poly: P. 12

XL Fender Flares: P. 13 NOTSHOWN

LOCK & RIDE Cargo Box: P. 14

RIGID SR-Series Combo Light Bar: P. 27

Pro Armor Wheel & Tire Set: P. 35 29" Mud XC & 14" 4204 - Matte Black

Winch: P. 36





NOTSHOWN LOCK & RIDE Full Windshield - Glass: P. 08

NOTSHOWN Windshield Wiper & Washer System: P. 08

LOCK & RIDE Rear Panel - Glass: P. 09

NOT SHOWN Polaris PULSE LED Light Bar Harness: P. 17

NOT SHOWN Pro Armor 83 cm Combo LED Light Bar: P. 27

In addition to stock accessories

LOCK & RIDE Full Windshield - Glass: P. 08

Windshield Wiper & Washer System: P. 08


LOCK & RIDE Rear Panel - Glass: P. 09

Premium Roof - Poly: P. 12

Polaris Northstar 28 L Cooler: P. 20

WINDSHIELDS

Keep the elements out and control air flow into the cab.




GLASS VS POLY

- Lightweight, flexible, easy to store/remove
- Impact-resistant
- Tight seal keeps out rain and dust
- · Hard Coat: 30x more scratch resistance than regular poly windshields

 Superior optical clarity (automotive level)

- Scratch-resistant Curved to fit, seals tight
- Cold weather / heavy duty
- Wiper ready (windshield only)

HARD COAT POLY





WINDSHIELD WIPER & WASHER SYSTEM TOP SELLER

2881090

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22





Hard Coat Polv Hard Coat

Offers fully-sealed or flipped-down venting options. Upper half detaches, leaving lower half for protection with maximum ventilation.

GENERAL

ADD A REAR PANEL TO REDUCE THE DUST SWIRL

REAR **PANELS**

Turbulent air forms above the cargo bed and behind the cab when you add a windshield. This swirl can carry dirt, dust, leaves, and rain into the cab. Eliminate this phenomenon and control the swirl by installing a rear panel.





LOCK & RIDE'
REVOLUTIONARY
INSTALLATION



AIRTIGHT GASKET SEAL

POLY



LOCK & RIDE

REAR PANEL - GLASS TOP SELLER

» 2881113

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

LOCK & RIDE

REAR PANEL - POLY TOP SELLER

» 2881112

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

DOORS

COMPLETE YOUR CAB. POLARIS GENERAL comes equipped with half doors. To create an enclosed cab for increased protection from the elements, choose from two great Polaris options.



PREMIUM POLY

FULL DOORS

- Impact and scratch-resistant tempered glass
- Fully-sealed design keeps elements out for a premium in-cab environment
- Hinged window adjustability
- Soft-touch, easy-to-clean premium interior liner

2-SEAT

 Six-way glass window adjustability

» 2883717

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

4-SEAT

- Push-out windows
- Kit includes B-pillar cover seal
- » 5883085

POLARIS GENERAL XP 4 1000 '20-22 POLARIS GENERAL 4 1000 '17-22

POLARIS ENGINEERED ADVANTAGES





A PERFECT FIT FOR THE PERFECT SEAL



ZIP WINDOW UPPER DOORS

- Durable, rugged canvas stitched over a robust steel frame
- · Lightweight, UV-resistant construction
- · Retention straps for increased strength
- · Zipper windows for increased venting options
- · Mounts easily by drilling into stock doors (drill hole plugs included)

2-SEAT

» 2882548

POLARIS GENERAL XP 1000 '20-22 POLARIS GENERAL 1000 '18-22

» 2883453

4-SEAT

POLARIS GENERAL XP 4 1000 '20-22 POLARIS GENERAL 4 1000 '18-22

SEE P. 14 FOR THE **NEW RHINO-RACK** STORAGE SOLUTIONS







A PERFECT FIT FOR THE PERFECT SEAL



PREMIUM FEATURES 8 QUIETER RIDE



POLARIS ENGINEERED ADVANTAGES

ALUMINIUM VS POLY

- High protection strength
- Lower profile
- Sleek style
- · Water run-off
- Pre-existing mounting features
- Liner ready
- Lightweight

2-SEAT

ROOF - ALUMINIUM

» 2881105

POLARIS GENERAL XP 1000 '20-22 POLARIS GENERAL 1000 '16-22

4-SEAT

PREMIUM ROOF - POLY

POLARIS GENERAL XP 1000 '20-22 POLARIS GENERAL 1000 '16-22



PREMIUM

INCLUDES ROOF LINER

TOP SELLER

SPORT ROOF - POLY

POLARIS GENERAL XP 1000 '20-22 POLARIS GENERAL 1000 '16-22

PREMIUM ROOF - POLY

POLARIS GENERAL XP 4 1000 '20-22 POLARIS GENERAL 4 1000 '17-22



INCLUDES PREMIUM ROOF LINER

SPORT ROOF - POLY

» 2883781

POLARIS GENERAL XP 4 1000 '20-22 POLARIS GENERAL 4 1000 '17-22

POLY ROOF LINER

» 2883802

POLARIS GENERAL XP 4 1000 '20-22 POLARIS GENERAL 4 1000 '17-22 Compatible with Sport Roof - Poly (2883781), sold separately





ROCK SLIDERS (NOTSHOWN)

LOW PROFILE

» 2881102

POLARIS GENERAL 1000 '16-22 Not compatible with XL Fender Flares

EXTREME KICK-OUT

» 2-SEAT • 2881101

POLARIS GENERAL XP 1000 '20-22 POLARIS GENERAL 1000 '16-22

» 4-SEAT • 2881992

POLARIS GENERAL XP 4 1000 '20-22 POLARIS GENERAL 4 1000 '17-22

XL FENDER FLARES

» 2884220

POLARIS GENERAL 1000/4 '16-22 Not compatible with Low Profile Rock Sliders Standard on GENERAL XP models

HMW A-ARM GUARDS NOTSHOWN

» FRONT • 2880274

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

» REAR • 2880171

POLARIS GENERAL 1000 '16-22

HIGH CLEARANCE A-ARM GUARDS

» FRONT • 2884221

POLARIS GENERAL XP 1000/4 '20-22

» REAR • 2884222

POLARIS GENERAL XP 1000/4 '20-22

REAR SPORT BUMPER [NOTSHOWN]

» 2884345

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

FRONT BUMPERS

SPORT LOW
PROFILE TOP SELLER

» 2881094

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

SPORT UPPER

» 288152

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22 Requires Sport Low Profile Front Bumper



EXPANSION ANCHOR MOUNTS

TOUGH EXPANSION ANCHOR MOUNTS DESIGNED FOR POLARIS GENERAL ALLOW FOR QUICK INSTALL OF ROCK SLIDERS AND BUMPERS WITHOUT DAMAGING THE VEHICLE'S FRAME.





STORAGE



BRING IT ALL. BRING IT ON.

From opposite sides of the globe, the most capable machines in the off-road world meet a trusted outdoor adventure brand to deliver industry-exclusive purpose-built bed racks and accessories to help Polaris GENERAL users have more fun and get more done. Increase storage capacity so you can go where you want with everything you need, organized to succeed.

REAR BED RACK





- The ultimate modular load carrying solution
- $\bullet \ \, {\sf Strong, lightweight\ aluminium\ construction\ tested\ in\ the\ harshest\ conditions}$
- $\bullet \ \mathsf{Quickly} \ \mathsf{adapt} \ \mathsf{your} \ \mathsf{vehicle} \ \mathsf{from} \ \mathsf{workday} \ \mathsf{to} \ \mathsf{weekend} \ \mathsf{with} \ \mathsf{a} \ \mathsf{wide} \ \mathsf{array} \ \mathsf{of} \ \mathsf{Rhino-Rack} \ \mathsf{attachments}$
- 2889443

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22







ATTACHMENTS



GUN MOUNTING BRACKET

- Bracket used to mount Kolpin Stronghold Gun Boots to Rhino-Rack* systems when paired with Auto-Latch Mount (2884106), sold separately
- » 2889327

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

See P. 18 for more hunt information



EYELET TIE-DOWNS

- Includes one set and hardware (straps not included) and attaches in multiple places on the platform to use as additional tie-down points
- Anti-corrosive galvanized steel for heavy-duty strength and long life
- » 2889527

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



N=W

MULTI-PURPOSE TOOL HOLDER

- Carry and protect tools, paddles and more during your ride
- Ratchet-locking mechanism for quick release with rubber inserts to secure accessories into place
- » 2889528

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22





TRACTION BOARD MOUNT

- Strong, durable and easy to attach mount
- Traction board not included
- » 2889530

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



CARGO CORNER BRACKET

- Bring a Northstar cooler or toolbox while saving space inside your vehicle
- Unique anti-rotation nut for maximum cargo security
- » 2889531

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



HIGH LIFTING JACK MOUNT

- Installs simply and quickly with durable brackets
- Rugged, non-corrosive powder-coated steel stands up to the harshest conditions
- » 2889533

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

STORAGE CARGO BED MAT P 2881933 POLARIS GENERAL 1000/4 16-22 POLARIS GENERAL 1000/4 16-22 POLARIS GENERAL 1000/4 16-22 POLARIS GENERAL 1000/4 16-22 LOCK & RIDE REAR BED STORAGE REAR BED STORAGE RACK MOUNT

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22 See P. 18 for more info » 2885114

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

See P. 18 for more info

" 0001E#

LOCK & RIDE

BED EXTENDER

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



LOCK & RIDE

SPARE TIRE CARRIER

» 2885122

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

FITS WHEEL UP TO 30"



BEHIND SEAT STORAGE BAG

» 2882164

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



IN-DASH STORAGE BAG

» 2882165

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22









EASILY
RECONFIGURE
FOR ANY TASK
OR ANY TRAIL

LOCK & RIDE CARGO BOX

» 2881527

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22 Includes all mounting hardware for secure installation

LOCK & RIDE TOP SELLER

» 2881545

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



FIRE EXTINGUISHER HOLDER NOTSHOWN

» 2882158

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22 Fits most 8.25 cm fire extinguishers (not included)

CAB COMFORT



8-VENT HEATER
AND DEFROST SYSTEM TOP SELLER

POLARIS GENERAL XP 1000/4 '20-22

Not Compatible with Rockford Fosgate Stage 4 Audio Kits Audio Bracket (2885112) required to install heater on vehicles with RIDE COMMAND and audio, sold separately

POLARIS GENERAL 1000/4 '16-22



POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

WINDSHIELD WIPER
AND WASHER SYSTEM TOP SELLER

SEE P. 08 FOR WINDSHIELDS

PULSE |





CONVEX REAR VIEW MIRROR

» 2881540

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22







- Red light is great for reading maps
- Green light is perfect for navigating in the dark
- Blue light is ideal for



· LED dome light provides

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '19-22

POLARIS ENGINEERED ADVANTAGES

» 2884047

 Battery-operated, white, red, green and blue lighting options recharges when vehicle is on

MULTI-FUNCTION CAB LIGHT

 Remove to use as around vehicle

MADE EASY WITH PLUG & PLAY



ELECTRICAL INSTALLS

Look for •\\frac{\partition \text{TULSE}}{\text{TULSE}} \rightarrow \text{to identify Polaris} PULSE ready accessories.

- · To install accessories, simply plug the harness into the Polaris PULSE hub
- No need to remove nuts and stack wire terminals like a three-post terminal setup
- By plugging in your accessories, a secure connection is guaranteed every time



FLOOR MATS

» 2881934

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



POLARIS PULSE LED LIGHT BAR HARNESS

- · Required to easily add electric components » 2883785
- POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '19-22





KOLPIN STRONGHOLD CASES & MOUNT



KOLPIN STRONGHOLD GUN BOOT XL

- Includes zippered internal liner
- Lockable
- » 2882036*

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



KOLPIN STRONGHOLD GUN BOOT L

» 2882426*

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



KOLPIN STRONGHOLD AUTO-LATCH MOUNT

» 2884106

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



KOLPIN STRONGHOLD AUTO-LATCH DOUBLE GUN BOOT MOUNT

» 2883970

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22





STORAGE

LOCK & RIDE

REAR BED STORAGE RACK

- Take more gear with integrated MOLLE panels and Lock & Ride installation
- 28 L or 57 L Polaris coolers will still fit in bed with rack installed
- · Compatible with (1) Kolpin Stronghold Mount

» 2885113

POLARIS GENERAL XP 1000/4 '20-22 **POLARIS GENERAL 1000/4 '16-22**

LOCK & RIDE

KOLPIN STRONGHOLD MOUNT

- · Kolpin Stronghold mount for attaching gun boots or other Kolpin Stronghold items to a General Rear Bed Storage Rack
- » 2885114

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

Never transport a loaded firearm. Verify firearm is unloaded prior to mounting. Please refer to local laws and regulations regarding the requirements for the legal transport of firearms.

IDEAL FOR BOWS & UNCASED GUNS

RHINO-RACK MOUNT

KOLPIN RHINO GRIPS



INTIVEGUN MOUNTING BRACKET

- · Bracket used to mount Kolpin Stronghold Gun Boots to Rhino-Rack systems when paired with Auto-Latch Mount (2884106), sold separately
- » 2889327

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

See P. 14 for more Rhino-Rack products



» 2884107

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



RHINO GRIP XLR

» 2881574 • SINGLE

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



» 2889204

POLARIS GENERAL XP 1000/4 '20-22, POLARIS GENERAL 1000/4 '16-22



LOCK & RIDE RATCHETING RHINO GRIP

» 2881575

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22



» 2889166

POLARIS GENERAL XP 1000/4 POLARIS GENERAL 1000/4 '16-22



» 2884109

POLARIS GENERAL XP 1000/4 '20-22, POLARIS GENERAL 1000/4 '16-22





28, 57 & 99 LITRE FEATURES

















- » GRAPHITE 2883426
- » DESERT 2883392



57 LITRE

- » GRAPHITE 2883425
- » DESERT 2881259

28 LITRE

- » GRAPHITE 2883424
- » DESERT 2881315

ESSENTIAL ACCESSORIES SO YOUR COOLER WORKS AS HARD AS YOU DO

COOLER ACCESSO	RIES	99 LITRE	57 LITRE	28 LITRE	
	WIRE BASKET	2883648	2882185	2882438	
	DIVIDERS Doubles as cutting board	2883468 COMES WITH ONE DIVIDER 1 way to partition	2882184 COMES WITH TWO DIVIDERS 2 ways to partition	2882186 COMES WITH ONE DIVIDER 1 way to partition	
	SEAT CUSHION	NOT AVAILABLE	2882179	2882507	
	WHEELS	2883967	2882180	NOT AVAILABLE	

GRIZZLY TESTED.

POLARIS APPROVED.

This cooler is IGBC-approved, meaning it withstands the power expended by a typical grizzly bear if it was trying to get inside.

Seriously, there are experts who know what a grizzly is capable of doing, and they certify our coolers can take it.

POLARIS NORTHSTAR COOLERS CAN SURVIVE JUST ABOUT ANYTHING - FROM EXTREME HEAT TO A NASTY TUMBLE OFF A VEHICLE.



14 LITRE

» GRAPHITE • 2883968



19 LITRE SOFT-SIDED COOLER

» GRAPHITE • 2889285

DON'T FORGET THESE ACCESSORIES



887

TUMBLERS

- » 887 ml 2883394
- » 591 ml 2883393



LOCK & RIDE QUICKSTRAP

» 2882187

ALL COOLERS AND POLARIS GENERAL CARGO BOXES



BOTTLE OPENER

» 2882183 ALL COOLERS

CONNECTED TECHNOLOGY



PLAN. TRACK. SHARE. CONNECT.

PLAN YOUR RIDE

Plan an epic ride with stops along the way, customise and adjust your path to maximise your route. You can even share your planned route with friends.

DISCOVER NEW TRAILS

With almost 1,000,000 miles of trails available offline, you'll have the confidence to explore further, whether you have cellular coverage or not.

RELIVE YOUR RIDE

With 3D flyovers you can track and go over your completed rides, and share your favorite routes with friends even after the ride is over.







7" DISPLAY POWERED BY RIDE COMMAND



- Pre-Loaded Maps
- Available offline on the in-dash display so you always know where you are.
- Add points of interest and waypoints to make the most of your off-road adventure.
- **Camera Integration** Navigate with full view of your surroundings. Use the integrated rear camera to see others behind you while riding.
- Personalized Audio Experience
- Seamlessly pair your display via Bluetooth to wirelessly stream music and stay connected with call and text alerts.

PULSE |

 Configurable Gauges
 Customise your ride experience with elevation, travel direction, fuel level and more to create relevant screens for you.

» 2884072

Route Planning

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '19-22

7" DISPLAY MOUNT KIT



- · Mount RIDE COMMAND seamlessly into the dash for perfect fit and finish
- Comes with required wiring harnesses and accessory components
- · Includes front and rear camera, V2V and GPS antenna
- » 2889338

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '20-22

WHEN REPLACING FACTORY IN-DASH AUDIO: EITHER AMP (2414533) AND RELOCATION KIT (2885112), BOTH REQUIRED SOLD SEPARATELY -OR- STAGE 3 RIDE COMMAND AUDIO KIT & REAR SPEAKERS (2885163), SOLD SEPARATELY, ARE REQUIRED

AUDIO BRACKET

- Used to mount audio amplifier for front and rear speakers when subwoofer is removed
- Required to install a heater on a vehicle with RIDE COMMAND and audio
- » 2885112

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '20-22





Pjockford fosgate.









An industry first. A true factory installed integrated off-road audio system. Rockford Fosgate partnered with Polaris to purpose build the highest performing system specifically for the GENERAL platform. Tuned and rider-centric to create a class leading audio experience that is second to none.





TOP SELLER STAGE 1 **AUDIO KIT**



- PMX-P2 HEAD UNIT & FRONT COAXIAL SPEAKERS & **ANTFNNA**
- 6.86 cm full colour display with AM/FM/WB tuner, Pandora Control and Bluetooth Connectivity*
- 50 Watt 16.51 cm front coaxial speakers with enclosures and grilles
- » 2884282

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '20-22



STAGE 3 PMX AUDIO KIT+ **REAR SPEAKERS**



- REAR COAXIAL SPEAKERS & AMP
- 2.50 Watt 16.51 cm rear coaxial speakers with enclosures and grilles
- · 400 Watt 4-channel full range amplifier
- IP67 Rating delivering water resistance and dust protection

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22









- FRONT & REAR COAXIAL SPEAKERS, ANTENNA & AMP
- · 2. 50 Watt 16.51 cm front and rear coaxial speakers with enclosures and grilles
- 400 Watt 4-channel full range amplifier
- IP67 Rating delivering water resistance and dust protection

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

REQUIRES 7" DISPLAY WITH RIDE COMMAND (2884072) & 7" DISPLAY MOUNT KIT (2884283), BOTH SOLD SEPARATELY



STAGE 4 **UPGRADE**



- POWERED SUBWOOFER
- ullet Compatible with Stage 1 and Stage 2 PMX-P2 Audio Kits
- 400 Watt 25.4 cm subwoofer
- Compatible with Stage 1 and Stage 3 Audio Kits

» 2889306

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22 NOT COMPATIBLE WITH

HEATER KIT (2881316)



BUILD YOUR SOUND

HEAD UNIT:

PMX-P2

AUDIO:

STAGE 1 AUD<u>IO KIT</u>

STAGE 3 + 4 UPGRADES

MODEL FITMENT:

ΧP

STAGE 1 AUDIO KIT WITH PMX-P2 HEAD UNIT

DELUXE

INSTALLED

REAR SPEAKERS

UPGRADE

REAR SPEAKERS, AMP +

PREMIUM

SPORT

STAGE 1 AUDIO KIT

PMX HEAD UNIT + FRONT COAXIAL SPEAKERS + ANTENNA 2884282 +
OPTIONAL SUBWOOFER

STAGE 3 +

AUDIO BRACKET 2885162

STAGE 4 UPGRADE

SUBWOOFER 2889306

NOT COMPATIBLE WITH 8-VENT HEATER & DEFROST SYSTEM (2881316) RIDE COMMAND

STAGE 3
RIDE COMMAND
AUDIO KIT

RIDE COMMAND + STAGE 3 AUDIO SYSTEM BY ROCKFORD FOSGATE MODEL

INSTALLED

TO ADD 8-VENT HEATER & DEFROST SYSTEM (2881316), SUBWOOFER MUST BE REMOVED AND AMP RELOCATION BRACKET (2885112) MUST BE INSTALLED

7" DISPLAY WITH RIDE COMMAND

2884072

7" DISPLAY MOUNT KIT

2889338

2020-2022 MODELS

STAGE 3 UPGRADE

REAR SPEAKERS, AMP + AUDIO BRACKET 2885163

STAGE 4 UPGRADE

SUBWOOFER

2889306

NOT COMPATIBLE WITH 8-VENT HEATER & DEFROST SYSTEM (2881316)

25



ADVANCED TECH

RIGID lights are driven by Aluminium PCB Smart Boards, 6063-T5 aircraft aluminium extruded housings and Tiger Drylac UV protection polyester powdercoating.

EXCLUSIVE OPTICS

RIGID invests heavily in optical science and has patented multiple optics and optics systems, maximizing light output and efficiency.

LIGHT BAR TYPES



SR-SERIES PRO

Sleek, powerful, low-profile (under 5 cm tall). Lights extreme distances with low energy usage.

Available in 25.4 cm & 81.3 cm




D-SERIES PRO

Compact to fit almost anywhere with high output and low energy usage.

Available in Driving, Flood & Spot


LIGHT BAR OPTIONS



BUILD YOUR VISION

Consider the optics, angle 8 how you will use your vehicle to choose the right light or set of lights.

OPTICS Light angle	ACCENT	DRIVING (45°)	FL00D (25°)	SPOT (10°)	COMBO (25°/10°)
DRIVING SPEED	All	Slow	Medium	Fast	Medium to fast
BEAM	Diffused glow	Extra-wide	Wide/shorter	Concentrated/long	Inner spot & outer flood
RECOMMENDED MOUNTING	Low/wheel well	All points	Low 8/or rear	High points	All points
TERRAIN & RIDING STYLE	Added style & personalization in any terrain	All riding & utility	Wide-open terrain or trails & utility	Trail & tight conditions	All riding & utility



MAX PERFORMANCE

DOESN'T OVERTAX Validated to work as hard as Trust it to work when you your machine does need it to

PRO ARMOR

RUGGED CONSTRUCTION

Pro Armor lights are designed to be big and beefy with an aggressive style all their own, and housed in IP67 marine-grade rated UV polyester powdercoating.

MASSIVELY BRIGHT

Pro Armor builds bright lights designed for any riding experience. All that power is directed through heat dissipating aluminium for streamlined heat management.



DUAL-ROW LED LIGHT BARS

The most spread and farthest illumination downrange. Easy to mount.

Available in Cube, 25.4 cm, 50.8 cm & 76.2 cm



SINGLE-ROW LED LIGHT BARS


Powerful, compact, low-profile light bars with sleek look.

Available in 27.9 cm, 83.8 cm & 101.6 cm



CUBE LED LIGHTS

Small size allows mounting in strategic locations for added lighting. Available in Flood & Spot



ADD A HARNESS TO MOUNT YOUR LIGHTS

	LIGHT BAR SET-UPS									
MODEL	1 LIGHT IN 1 LOCATION ON 1 SWITCH	2 LIGHTS IN 2 LOCATIONS ON 1 SWITCH	2 LIGHTS IN 2 LOCATIONS ON 2 SWITCHES							
2019-2022 All models	TOP SELLER POLARIS PULSE LED LIGHT BAR HARNESS 2883785	TOP SELLER POLARIS PULSE LED LIGHT BAR HARNESS 2883785 Y-HARNESS 2879860	TOP SELLER POLARIS PULSE LED LIGHT BAR HARNESS (x2) 2883785							

🛕 No battery connection cables required on any model/model year POLARIS GENERAL 1000.

■<mark>^ POULSE</mark> ■ All RIGID and Pro Armor lights are Polaris PULSE ready.

ACCENT LIGHTING

ACCENT LIGHTS

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

PN
2880500
2880506



- Tread patterns optimized for extreme traction
- Ideal for both hard pack and loose trail





SUPERIOR PERIORNANCE



A lighter tire makes

for improved vehicle

performance

Increase your

resistance to

sidewall punctures

Where can you

use the tire









Handles extreme cold
Holds shape and
provides traction

TYRES BY SIZE

26"	27"	28"	29"	30"
ATTACK	MUD XC	HARVESTER	DUAL-THREAT	CRAWLER XG
DUAL-THREAT	HARVESTER	CRAWLER XR	MUD XC	ATTACK 2.0
HARVESTER		ATTACK 2.0	но-к	HARVESTER
XD-K		CRAWLER XG		CRAWLER XR
				CRAWLER AT

TYRES BY TERRAIN

TRAIL	ROCK	DESERT	МИО	UTILITY	SNOW
CRAWLER XR	CRAWLER XR	CRAWLER XR	мир хс	HARVESTER	ATTACK 2.0
CRAWLER XG	CRAWLER XG	CRAWLER XG		HD-K	ATTACK
мир хс	DUAL-THREAT	ATTACK 2.0		хо-к	HARVESTER
ATTACK 2.0	ATTACK 2.0	ATTACK			XD-K
ATTACK	CRAWLER AT	DUAL-THREAT			но-к
DUAL-THREAT		CRAWLER AT			
HARVESTER					
XD-K					
нр-к					
CRAWLER AT					

WHEELS BY SIZE



KNOW YOUR WHEELS

STEP 1: SELECT YOUR SERIES

4 = 40-SERIES 5 = 50-SERIES

STEP 2: CHOOSE YOUR LOAD RATING

1 = <362.9 KG 2 = 363 - 589.7 KG 3 = 590 - 726+ KG

STEP 3: PICK YOUR STYLE

OFFSET / BEADLOCK / COLOUR

INCREASE OFFSET FROM STOCK = NARROWER

STANCE
DECREASE OFFSET FROM STOCK = WIDER STANCE







FRONT/REAR

WHEEL SIZE

WHAT CRAWLER ARE YOU?

XR

SINGLE DUROMETER

- Smaller lug height, added rigidity and lateral stability when cornering
- Unique lug design excels in hard pack, fast terrain



PRO ARMOR CRAWLER XR

- Premium grip for all terrains, from the trail to the rocks
- · Square block profile for even surface contact
- A tougher durometer than the XG to take on the toughest the trail has to offer

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	28" × 10" R14 5415536	FRONT/ REAR	16 mm	15 kg	8	3	517 kg



FRONT/REAR

WHEEL SIZE

XG

DUAL-DUROMETER

- Taller lug height and dual-durometer construction
- Perfect balance between high-speed performance, durability and flex in order to grip slick rock



PRO ARMOR CRAWLER XG

- Built to crawl over all obstacles, both large and small
- A soft, sticky compound makes this tire ideal for both rock crawling and desert running
- 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	30" × 10" R14 5415616			17 kg			581 kg
15"	28" × 10" R15 5416346	FRONT/ REAR	20 mm	15 kg	8	3	498 kg
15"	30" × 10" R15 5416397			18 kg			581 kg







PRO ARMOR CRAWLER AT

- Directional tread for optimum performance
- Greater lug separation for easy mud clean out
- 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	
15"	30" × 10" R15 5417534	FRONT/ REAR	18 mm	16 kg	8	3	581 kg	

^ T

DIRECTIONAL LUG PATTERN

- The same taller lug height as Crawler XG, providing more grip and better traction
- Wider lug spacing for excellent mud clean-out











FRONT/REAR

PRO ARMOR ATTACK 2.0

- Engineered for excellent hard pack performance
- \bullet Dual-compound technology and radial construction offer performance in all terrains
- Tight thread pattern for a quieter ride

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
15"	28" × 10" R15 5416344	FRONT/	ae.	15 kg	10		503 kg
15"		REAR	25 mm	17 kg	10	3	560 kg

TIGHTER TREAD PATTERN = Better traction in hard pack DUAL-DUROMETER LUG = Increased grip & traction in rough terrain, smoother ride in all terrain 10-PLY RATED =
Increased durability

LARGER 28" & 30" SIZE OFFERING = More ground clearance & trail traction

WHEEL SIZE







PRO ARMOR ATTACK

- \bullet The best all-purpose tire for all-season traction in any terrain
- · Unique, full-face tread design
- \bullet Harder durometer lugs promote extended wear, increasing tire life
- \bullet Wider spaced lugs provide more grip in softer terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	
14"	26" × 9" R14 5415613	FRONT		13 kg	8	3	413 kg	
14"	26" × 11" R14 5415614	REAR	23 mm	15 kg	8	3	599 kg	

FRONT/REAR









PRO ARMOR DUAL-THREAT

- Dual-compound technology and radial construction offer performance in all terrains
- Softer durometer rubber on outer edge for overall superior grip and feel
- Harder durometer rubber in the middle for increased traction during acceleration and longer tread life TREAD TIRE PLY SIDEWALL LOAD DEPTH WEIGHT RATING BELTS RATING

14"	26" × 9" R14 5416340	FRONT	16 mm	12 kg	10		413 kg
14"	26" × 11" R14 5416341	REAR		14 kg			499 kg
14"	29" × 9" R14 5416342	FRONT		14 kg	10	3	499 kg
14"	29" × 11" R14 5416343	REAR		16 kg			599 kg







FRONT/REAR

PRO ARMOR MUD XC

- \bullet Designed as the perfect mud-trail crossover for a smooth ride on the trail and aggressive traction in the mud
- Dual-compound technology with harder durometer lugs promote extended wear, increasing tire life
- 10-ply construction means added protection in the toughest terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	27" × 9" R14 5416947	FRONT		14 kg			531 kg
14"	27" × 11" R14 5416948	REAR	30 mm	15 kg	10	3	599 kg
14"	29" × 10" R14 5416946	FRONT/ REAR		18 kg			630 kg





UTILITY FEATURE	HARVESTER	XD-K	но-к
8,047 Kilometer Rated Long life and performance	X		
10-Ply Rated Higher ply ratings means added protection	X	X	X
Heavy Duty Tread Aggressive tread pattern for all day work on farms or ranches	X	X	X
Turf-Friendly Easy on grass and farm yard	X		
Aramid Fibre Belt 5x times stronger than steel and lighter		X	X
Size Options For exactly how you want to use your machine	26", 27", 28", 30"	26"	29"



PRO ARMOR HARVESTER

- · All-around work horse with tread life of 8047 km
- Tread pattern designed to withstand anything from the farmyard to the pastures and the trail
- With 10-ply, it can carry the load day in and day out

			DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
12"	26" × 8" R12 5416396	FRONT	16 mm	11 kg		3	388 kg
12"	26" * 10" R12 5415966	REAR		15 kg			615 kg
14"	27" × 10" R14 5415965	FRONT/ REAR		15 kg	10		599 kg
14"	28" × 10" R14 5416347	FRONT/ REAR		15 kg			630 kg
15"	30" × 10" R15 5417529	FRONT/ REAR		17 kg			599 kg



FRONT/REAR







PRO ARMOR XD-K

- ullet 26" Aramid fibre-belted tire to tackle any terrain
- Unique full-face tread design
- Harder durometer lugs promotes extended wear, increasing tire life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
12" 1	26" × 9" R12 5415756	FRONT	31.7 mm	13 kg	10	3/1	388 kg
12" 1	26" × 11" R12 5415757	REAR	31.7 mm	15 kg	10	Aramid	499 kg

FRONT/REAR









PRO ARMOR HD-K

- Designed to provide a smooth ride and aggressive traction in all riding terrains
- \bullet Triple-belted sidewall provides extreme protection and extends the tire life
- Quad belt tread core offers superior protection and longer tread life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	29" × 10" R14 5417507	FRONT/ REAR	31.75 mm	18 kg	10	3/1 Aramid	598 kg

FRONT/REAR



WHEELS

























40-SERIES

<u>4201</u> 0

FRONT WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4
REAR WEIGHT: 6.4 kg | LOAD RATING: 590 kg | OFFSET: -9

ACCENT: FRONT 14" × 7" 1522956-266 14" × 8" 1522957-266 MATTE BLACK: FRONT REAR 14" × 7" 1522956-458 14" × 8" 1522957-458

3 4202 0

FRONT WEIGHT: 5.8 kg | LOAD RATING: 408 kg | OFFSET: +4
REAR WEIGHT: 6.1 kg | LOAD RATING: 590 kg | OFFSET: -9

ACCENT: FRONT 14" × 7" 1522544-266
REAR 14" × 8" 1522545-266
MATTE BLACK: FRONT 14" × 7" 1522544-458
REAR 14" × 8" 1522545-458

FRONT WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4
REAR WEIGHT: 6.6 kg | LOAD RATING: 590 kg | OFFSET: -9

MATTE BLACK: FRONT 14" × 7" 1522238-458 REAR 14" × 8" 1522239-458

9 4204 0

FRONT WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4
REAR WEIGHT: 6.4 kg | LOAD RATING: 590 kg | OFFSET: -9

ACCENT: FRONT 14" × 7" 1522546-266
REAR 14" × 8" 1522547-266
MATTE BLACK: FRONT 14" × 7" 1522546-458
REAR 14" × 8" 1522547-458

9 4205 0

FRONT WEIGHT: 4.8 kg | LOAD RATING: 408 kg | OFFSET: +4
REAR WEIGHT: 5.7 kg | LOAD RATING: 590 kg | OFFSET: -9

 MATTE BLACK:
 FRONT
 14" × 7"
 1521507-521

 REAR
 14" × 8"
 1521508-521

 LUSTER:
 FRONT
 14" × 7"
 1521507-521

 REAR
 14" × 7"
 1521507-521
 1521507-521

9 4301 BEADLOCK

FRONT/REAR

WEIGHT: 7.3 kg | LOAD RATING: 729 kg | OFFSET: \pm 38

6 HD DUAL BEADLOCK

FRONT/REAR

WEIGHT: 18.1 kg | LOAD RATING: 725.7 kg | OFFSET: +38 MATTE BLACK: FRONT/REAR $14" \times 7"$ 1524022-458

50-SERIES

a 5201

FRONT/REAR

WEIGHT: 7.8 kg | LOAD RATING: 590 kg | OFFSET: +4

ACCENT: FRONT/REAR 15" × 7" 1523184-266
MATTE BLACK: FRONT/REAR 15" × 7" 1523184-458

0 5202

FRONT/REAR

WEIGHT: $8.1\ kg$ | LOAD RATING: $590\ kg$ | OFFSET: +4

ACCENT: FRONT/REAR 15" × 7" 1523102-266 **MATTE BLACK:** FRONT/REAR 15" × 7" 1523102-458

9 5203 BEADLOCK 0 0

FRONT/REAR

WEIGHT: 7.3 kg | LOAD RATING: 590 kg | OFFSET: +38 MATTE BLACK: FRONT/REAR 15" × 7" 1522435-458

S 5301 BEADLOCK

FRONT/REAR

WEIGHT: 7.7 kg | LOAD RATING: 726 kg | OFFSET: +38

ACCENT: FRONT/REAR 15" × 7" 1523282 **MATTE BLACK:** FRONT/REAR 15" × 7" 1523266

LUG NUTS REQUIRED

O BEADLOCK SOLD SEPARATELY

BEADLOCK RINGS

15" FORGED BEADLOCK RINGS PART #

Matte Black - Replacement Fits 5203 Beadlock 1523147-458



KNOW YOUR WHEELS

STEP 1: SELECT YOUR SERIES

4 = 40-SERIES **5** = 50-SERIES

STEP 2: CHOOSE YOUR LOAD RATING 1=<362.9 KG 2=363-589.7 KG 3=590-726+ KG

STEP 3: PICK YOUR STYLE

OFFSET / BEADLOCK / COLOUR

INCREASE OFFSET FROM STOCK = NARROWER STANCE DECREASE OFFSET FROM STOCK = WIDER STANCE










WHEEL & TYRE SETS








WITHOUT WRENCH




2204966

INDIVIDUAL WHEELS & TYRES COMPLETE SETS AS LISTED

O LUG NUTS REQUIRED







COLBY COMBO VALVE KIT (16 PACK)

- Includes eight ultimate valves and eight emergency valves



TESTED **1,200+**PULLS AT MAX LOAD

OPERATES FULLY SUBMERGED

BUILT TO WITHSTAND
-29°C TEMPERATURES

MILITARY TESTED & APPROVED



FEATURES & BENEFITS

PRO HEAVY DUTY SERIES

BEST FOR PLOWING, HEAVY-DUTY OUTDOOR
CHORES & TRAIL RIDING

HEAVY DUTY SERIES

BEST FOR THE CASUAL OFF-ROAD RIDER

ALL POLARIS ENGINEERED WINCHES COME WITH:

✓ INTEGRATED WIRING, MOUNT, PREASSEMBLED

✓ HOOK WITH STRAP

✓ CUT STEEL GEARS & SEALED DRIVETRAIN

✓ SEALED PERMANENT MAGNET MOTOR




Retrieve cable 5x as fast as standard mode on other Polaris winches. Get back to riding or complete your task quicker.

- Set winch dial to N (Neutral) to manually pull the rope out and secure the hook to your anchor point
- Set winch dial to L (Low) for maximum pulling power while winching your load
- 3. Set winch dial to H (High) for retrieving the rope 5x faster with Rapid Rope Recovery



NOT AVAILABLE

AUTO STOP TECHNOLOGY (AUTO)



Auto Stop technology protects and extends the life of your winch by automatically stopping the winch at the end of pull to prevent over-spooling. While plowing, it prevents the plow frame from bending by stopping the winch once the plow has been lifted.





PREMIUM SYNTHETIC ROPE

With its lightweight, yet extremely strong, design and superior flexibility, this 15 m long synthetic rope is easy to handle and can stand up to any tough job.



ADD SYNTHETIC ROPE 2879187



WIRELESS REMOTE



This convenient remote operates your Polaris winch wirelessly from within 15 m of the vehicle. Operate your winch safely outside your vehicle while on the job site or trails.



ADD WIRELESS REMOTE 2881287



MODEL 2,041 kg 2,041 kg

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '19-22 2883861

TOP SELLER **2883860**

CHOOSE A PLOW SYSTEN

BUILD A PLOW SYSTEN

PLOWS & TRACKS

PLOW SYSTEMS (WINCH REQUIRED SOLD SEPARATELY)

» 3880014

Requires lift method: see winches below.

Choose a Glacier Plow System, designed to help you get the most out of your GENERAL during snowy months. Select a system based on your plowing needs with premium add-ons including a hydraulic lift system or additional plow

NEW GLACIER PRO HD PLOW SYSTEM WITH HYDRAULICS

System includes

- Mount (2881763)
- · Frame (2880260)
- 183 cm Steel Plow (2880270)Hydraulic Angle (2885102)
- Hvdraulic Controller (2883391)
- Plow Markers (2872726)
- · Plow Deflector (2858541)

GLACIER PRO HD PLOW SYSTEM

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

System includes

- · Mount (2881763)
- · Frame (2880260)
- 168 cm Poly Plow (2880269)

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-22

Requires lift method: see winches and hydraulic lift options below.

ENEWGLACIER HD PLOW SYSTEM

System includes:

- Mount (2883256)
- · Frame (2882927)
- 183 cm Steel Plow (2889307)

POLARIS GENERAL XP 1000/4 '20-22 **POLARIS GENERAL 1000/4 '16-22**

Requires lift method: see winches and hydraulic lift options below.


GLACIER PROHO PLOW SYSTEM



GLACIER PRO HD GIVES YOU

» 183 cm or 168 cm Blades

» Choice of poly or steel » Manual angle system standard





168 cm POLY BLADE BEST FOR CORROSION RESISTANCE



183 cm Steel Blade Best for big jobs year after year

CREATE YOU PLOW SYST		STEP 2 SELECT A FRAME	STEP 3 SELECT A LIFT METHOD	STEP 4 SELECT A BLADE	STEP 5 SELECT ACCESSORIES
MODELS	MOUNT	FRAME	WINCH	BLADES	ACCESSORIES
POLARIS GENEI XP 1000/4 '20-7 POLARIS GENEI 1000/4 '16-22	55	TOP SELLER 2880260	Polaris PRO HD 2,041 kg Winch 2883861 POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '19-22 Hydraulic Plow Angle 2885102 POLARIS GENERAL 1000/4 '16-18 Hydraulic Plow Controller 2883391 POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL XP 1000/4 '16-22	183 cm Steel 2880270 168 cm Poly 2880269 TOP SELLER 168 cm Steel 2880268	183 cm Blade Snow Deflector 2858541 183 cm HD Wear Bar 2879875 183 cm Wear Bar 2204976 168 cm Blade Snow Deflector 2879866 168 cm HD Wear Bar 2879868 168 cm Wear Bar 2879867 Plow Marker 2872726 168 cm Blade Plow Shoe 2208864 Shear Pin 2205527 Replacement T Shear Pin 2204829 Extension for Tracks 2880267 Heavy Duty Deflector 2884160

GLACIER HD PLOW SYSTEM

GLACIER HD GIVES YOU

»168 cm Blades » Choice of poly or steel » Manual angle system standard





168 cm POLY BLADE Best for corrosion resistance

168 cm STEEL BLADE BEST FOR BIG JOBS YEAR AFTER YEAR

Choose a steel blade for longevity and increased rigidity or a lightweight non-stick, poly blade that's easier on plowing surfaces.

XP 1000/4 '20-22 2883860 2880269 168 cm HD Wear Bar 2879868 POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '19-22 168 cm Steel 168 cm Plow Shoe 2208864		REATE YOUR PLOW SYSTEM	STEP 1 SELECT A MOUNT	STEP 2 SELECT A FRAME	STEP 3 SELECT A LIFT METHOD	STEP 4 SELECT A BLADE	STEP 5 SELECT ACCESSORIES	
XP 1000/4 '20-22 2883860 2880269 168 cm HD Wear Bar 2879868 POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '19-22 168 cm Steel 168 cm Plow Shoe 2208864	MO	ODELS	MOUNT	FRAME	WINCHES	BLADES	ACCESSORIES	
2880268 Shear Pin 2205527 Replacement T Shear Pin 2204829	XP 1	2 1000/4 '20-22 DLARIS GENERAL	2883256	2889307	2883860 POLARIS GENERAL XP 1000/4 '20-22	2880269	168 cm Wear Bar 2879867 Plow Marker 2872726 168 cm Plow Shoe 2208864 Shear Pin 2205527	



PROSPECTOR PRO TRACK MOUNTS

- Install in place of tyres and wheels. Tracks sold separately.
- POLARIS GENERAL 1000/4 '16-22
- » 2885117
- POLARIS GENERAL XP 1000/4 '20-22

PROSPECTOR PRO TRACK

» 2880758

POLARIS GENERAL 1000/4 '16-22 POLARIS GENERAL XP 1000/4 '20-22

If using Glacier Pro Plow System, Track Plow Extension is required (2880267)

FOR THE LIFE OF YOUR RINE

MAINTENANCE TIP

BREAK-IN PERIOD

The break-in period for your new GENERAL is the first 25 hours of operation, or the time it takes to use the first two tanks of fuel. No single action on your part is as important as a proper break-in period. Careful treatment of a new engine will result in more efficient performance and longer life for the engine.

NOTICE: Excessive heat build-up during the first three hours of operation will damage close-fitted engine parts. Do not operate at full throttle or high speeds for extended periods during the first three hours of use.

AIR FILTER


A clogged air filter can restrict air flow to the engine leading to reduced engine performance, engine life or catastrophic failure.

BRAKE PADS

Maintaining and/or replacing brakes are critical to the safety and functionally of a vehicle. Brake pads should be checked for wear and oil or grease (petroleum products) contamination and brake discs should be checked for cracks, excessive corrosion or warping

HALF SHAFT

Check for tears and punctures in the boot, which can lead to CV joint wear that can contribute to axle failure.



MAINTENANCE SCHEDULE

25 HRS / 400 km

BREAK-IN MAINTENANCE

ENGINE OIL & CHANGE

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

> AIR FILTER: INSPECT & REPLACE AS NEEDED

EXHAUST SYSTEM: **INSPECT & CLEAN** INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

50 HRS / 800 km



EXHAUST SYSTEM: **INSPECT & CLEAN**

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

> **DRIVE BELT:** INSPECT & ADJUST

REPLACE AS NEEDED

100 HRS / 1,600 km

MONTHS

ENGINE OIL & OIL FILTER: CHANGE

REPLACE AS NEEDED

DRIVE BELT: INSPECT & ADJUST

> **TRANSMISSION** FLUID: CHANGE

AIR FILTER: INSPECT & REPLACE **AS NEEDED**

EXHAUST SYSTEM: INSPECT & CLEAN

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

150 HRS / 2,400 km

MONTHS

ENGINE OIL & OIL FILTER: CHANGE

BATTERY: TEST, CLEAN & CHECK FLUID LEVEL REPLACE AS NEEDED

DRIVE BELT: INSPECT & ADJUST

REPLACE AS NEEDED

TYRES: INSPECT CONDITION & PRESSURE

EXHAUST SYSTEM: **INSPECT & CLEAN**

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

SERVICE PARTS


PARTS THAT PUSH THE **LIMITS WITHOUT SACRIFICING** STRENGTH AND DURABILITY.

We build our products so anyone with the right tools can maintain their vehicle.



& LUBRICANTS

PELARIS



DRIVE BELT

Polaris Engineered belts deliver unmatched performance for your off-road vehicle. Developed and tested on all our engines for all environments and conditions. Check your belt for delamination, hour glassing and glazing.

BREAK-IN PERIOD

- Use lower gear (if available) while varying speeds and avoid wide open throttle for 8-16 km
- · If no low gear is available, vary at moderate speeds while avoiding wide open throttle for 80 km

OUR INVESTMENT

- · 32.187 km of field testing
- · Thousands of dyno hours
- · 18+ months of development (13,000+ design hours) per belt • More time riding, less time wrenching
- 1,500+ vehicle validation hours
- · Collaboration with powertrain and clutch engineers

YOUR ADVANTAGE

- · No clutch recalibration
- · Less wear and tear due to heat
- Ensure maximum vehicle performance
- · Produced in collaboration with powertrain and clutch engineers to ensure a perfect fit, maximum performance and ultimate durability

BATTERY

To ensure a battery maintains its level of charge when unused for extended periods of time or during freezing weather, the battery should be connected to a suitable battery charger. Be sure to check for corrosion from the terminals to the ends of the cables.

OIL FILTER

Change oil filters with every oil change to provide the best engine protection and keep the engine operating at peak performance.

FOLLOW RECOMMENDED SERVICE INTERVALS IN THE OWNER'S MANUAL

200 HRS / 3,200 km

MONTHS

ENGINE OIL & OIL FILTER: CHANGE

BRAKE PADS & FLUID: INSPECT & CLEAN REPLACE BRAKE FLUID REPLACE AS NEEDED

SPARK PLUGS: INSPECT

REPLACE AS NEEDED

AIR FILTER: INSPECT & REPLACE AS NEEDED

EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

250 HRS / 4,023 km

MONTHS

ENGINE OIL & OIL FILTER: CHANGE

BATTERY: TEST, CLEAN &

CHECK FLUID LEVEL REPLACE AS NEEDED

DRIVE BELT: INSPECT & ADJUST

REPLACE AS NEEDED

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

EXHAUST SYSTEM: INSPECT & CLEAN

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

300 HRS / 4,828 km



ENGINE OIL & OIL FILTER: CHANGE

AIR FILTER: INSPECT & REPLACE **AS NEEDED**

> GEARCASE & TRANSMISSION: REPLACE FLUIDS

EXHAUST SYSTEM: INSPECT & CLEAN

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR



CHECK YOUR OWNER'S MANUAL FOR ADDITIONAL RECOMMENDED SERVICE ITEMS AND VEHICLE-**SPECIFIC TIMING**



SPECIFIC NEEDS, SPECIFIC OILS

Polaris invests millions in engine development, and part of that investment is making sure its lubricants—critical to engine performance—are the right formula for your specific engine. The amount of testing data and engineering resources used in developing Polaris lubricants would overwhelm an aftermarket company. Therefore, the aftermarket must spec an oil to an industry-wide standard that must account for a variety of operating parameters.

PS-4 is designed specifically for Polaris 4-cycle engines and has high film strength and wear protection under extreme loads and temperatures. Exclusive anti-wear additives protect engine parts with extra rust and corrosion protection.

PS-4 SYNTHETIC PERFORMANCE OIL

- PS-4 is optimal for ambient operating temperatures of -40° C to 40° C
- » 1L·502484
- » 4 L 502485
- » 25 L 502486
- » 60 L 502487
- » 200 L•502488

PS-4 EXTREME-DUTY SYNTHETIC PERFORMANCE OIL

- PS-4 Extreme Duty is optimal for ambient operating temperatures of -20° C to 55° C
- » 1 L 502491
- » 4 L 502492
- » 25 L 502494
- » 60 L 502496
- » 200 L 502497

PS-4 OIL CHANGE KIT

- Contains the correct amount of oil for your vehicle and correct oil filter
- » 502541 SINGLE 570, TWIN 600, TWIN 700, TWIN 800
- » 502543 RANGER/*RZR* 900/1000
- » 502542 330500, SPORTSMAN 550/850/1000

POLARIS OIL 64.374

KILOMETERS

FOCUSED ON

FIELD TESTING



FOR THE LIFE OF YOUR RIDE ONLY THE BEST WILL DO

To create the best oil for any terrain, we invest in rigorous testing to ensure our oil delivers the consistency and performance you demand. The results are Polaris Engineered Lubricants that are tested and perfected to deliver excellent total engine protection for the life of your ride.

WHAT COUNTS IN OIL TESTING:

- 1. Does it protect the engine at high temperatures?
- 2. Does it keep the engine free from carbon and buildup?
- 3. Does the oil hold its viscosity over time?

ENGINE CHECKPOINTS

When evaluating an engine oil and its ability to protect and preserve the engine's power output and lifespan, Polaris engineers focus on key areas within the engine, some of the most critical ones include:

RING LANDS: Poor oxidative performance can lead to carbon and varnish buildup, which results in poor ring seal and loss of power, combustion blow by and fuel dilution of the oil.

PISTON RINGS: During the combustion process, extreme pressures are placed on the top ring, forcing it outward toward the cylinder wall, sealing the combustion chamber. With so much force applied, poor oil film strength between the top ring and the cylinder wall can lead to cylinder wear and loss of power.

ROD BEARINGS: Engine bearings ride on an extremely thin hydrodynamic film of oil. Poor oil film strength or using an oil with a thinner viscosity, can lead to premature bearing wear or even engine failure. Using an oil with high film strength and a strong viscosity, like PS-4 full synthetic, will extend the service life of your engine.

CAMSHAFT: Direct Acting Overhead Camshafts are used on many Polaris Prostar Engines. In this application the camshaft pushes directly on the valve, creating very high contact pressures compared to other camshaft configurations. These forces are so great that inferior oil can break down and be forced out of the contact area leading to increased wear. PS-4 full synthetic additives are specifically designed to provide wear protection against this.

OIL DEVELOPMENT

12 DEDICATED 18+
TEAM MEMBERS MONTHS

DEVELOPMENT & TESTING

> 75,000+ HOURS

> > DYNO TESTING

HD PARTS

ENGINEERED TO MAXIMISE THE LIFE OF YOUR RIDE

All Polaris fluids—from anti-freeze to brake fluid—are developed for your vehicle. Trust the only fluids perfectly engineered for your needs.



DOT 4 BRAKE FLUID

Polaris DOT 4 Brake Fluid is a high-quality brake fluid designed for use in Polaris hydraulic brakes. Superior high-temp characteristics plus anti-corrosive additives extend the life of brake system components and provide consistent, positive braking.

» 250 ml • 502526

ANTI-FREEZE

Polaris Extended Life Coolant contains organic acid technologies to prevent corrosion on metal components, eliminate scaling, and maximise cooling system performance.

- » 1 L 502566
- » 25 L 502567
- » 206 L 502568

AGL

A proprietary blend of additives designed to optimize Polaris' ORV transmission life. Extreme pressure additives protect gears, drive chain, and bearings from scoring and wear. Unlike typical gear case oils, AGL's unique viscosity range allows instant flow and film protection in extreme cold or high heat environments.

- » 1 L 502505
- » 25 L 502507
- » 200 L 502508

DEMAND DRIVE FLUID

Engineered specifically for Polaris ORV front drive systems. Provides positive 4WD engagement in extreme cold or high heat conditions. Unique friction additives protect internal components under heavy loads and promote positive engagement.

- » 1 L 502563
- » 25 L 502564
- » 200 L 502565

Proper lubricant application and timing will ensure optimal vehicle performance. Please refer to your owner's manual for lubricant change interval schedules.



CARBON CLEAN

Polaris Carbon Clean prevents ethanol corrosion, stabilizes fuel, and cleans fuel injectors, piston ring lands, intake systems, and combustions chambers. Helps maintain peak HP and improves fuel economy.

» 125 ml • 502528



FUEL STABILIZER

Fuel Stabilizer prevents ethanol corrosion and stabilizes fuel for up to 2 years. Dualantioxidant formula protects against gum and varnish for easy starting.

» 125 ml • 502519



ANGLE DRIVE

- » 1L·502510
- » 25 L 502511
- » 202 L 502512 SPORTSMAN, RANGER, RZR ANGLE DRIVE GEAR CASE SYSTEMS



PREMIUM GAS SHOCK OIL

» 1 L • 502518



ALL-SEASON GREASE TUBE

» 400 g • 502538

All Polaris parts are developed and tested to help you get the most out of your ride. We're taking the passion of our riders, workers and outdoor enthusiasts to the next level with HD Parts.

Engineered and designed for:

- · Greater durability
- · Enhanced performance
- · Greater wear and tear capabilities
- · All weather conditions




NEW

DRIVE BELTS

The enhanced rubber material compound in these belts keep them cool in extreme heat, while our patented cord treatment process maximises the transfer of horsepower to the ground for those customers hauling heavy loads.

OE	HEAVY DUTY PARTS
3211149	
3211169	3212326
3211196	
3211113	3212328





OIL FILTERS

The advanced synthetic material built into these filters offers the highest debris holding capacity, maintains oil flow and maximises performance.

OE	HEAVY DUTY PARTS		
2540086	2522498		






WHEELS & TYRES

Class leading durability for off-road performance and traction for confident driving in extreme conditions.

- » 1524022-458 HD WHEEL 14x7*
- » 5417507 PRO ARMOR HD-K 29x10R14*
- » 5457498-458 HD WHEEL CENTER CAP*
- » 5415756 PRO ARMOR XD-K FRONT
- » 5415757 PRO ARMOR XD-K REAR
- * SHOWN



SERVICE PARTS











EXTREME COLD




EXTREME HEAT UP TO 54° C



HEAVY PAYLOADS







WHEEL BEARINGS

Fully sealed for added protection against intrusions. Made of a higher grade steel for extended life in extreme conditions.

iiie iii extit		eille Colluit	10115.	
LOCA	TION	OE	HEAVY DUTY PARTS	
FR	DNT	3514924	0515000	
RE	AR	3314954	3515090	

BRAKES

Engineered to provide longer life and better stopping power while riding in extreme conditions.

OE	HEAVY DUTY PARTS	
2205949	2208933	
2202413	2208934	
2203318	2208936	

SERVICE PARTS

Polaris Engineered service parts deliver unmatched performance and fit for your off-road vehicle.

All service parts are engineered specifically for your machine. Which means everything is designed, tested and perfected to maximise the life of your ride. Getting Polaris Engineered parts is a decision that pays off in the long run, because it ensures there is a long run.



VISIT YOUR POLARIS
DEALER TO SHOP FOR
SERVICE PARTS.



YOUR RIDE

Maintenance is the key to keeping your Polaris off-road vehicle performing at its peak. Items like belts, lubricants, and batteries represent only a few of these critical items engineered specifically by Polaris.



POLARIS ENGINEERED

DRIVE BELTS

TESTED, PERFECTED

We test each belt on the intended vehicle – we don't just try to make an existing belt "just work".

- Amery Kuhl, Polaris CVT System Engineer

OUR INVESTMENT

- · 32,187 km of field testing
- · Thousands of dyno hours
- 18+ months of development (3,000+ design hours) per belt
- · 1,200+ vehicle validation hours
- · Collaboration with powertrain & clutch engineers

YOUR ADVANTAGE

- · No clutch recalibration
- · Less wear & tear due to heat
- Ensure maximum performance of your vehicle
- · More time out riding, less time wrenching

OUR INVESTMENTS ENSURE POLARIS BELTS OUTPERFORM YOUR EXPECTATIONS.

CV BOOT REPAIR KIT*

- · A quick trail-side fix to increase trail time
- The flexible and durable boot material expands "over a cone tool for CV boot repairs, without disassembling CV axles
- Universal fit works as a temporary fix for most powersports axles
- All components fit inside the cone, and a cover is provided for compact durable storage
- Easily fits in a cargo box, attached to the roll cage, in the glovebox or many other storage locations



Items shown are contained inside cone

UTV CV BOOT REPAIR KIT

Kit includes the following items:

- (1) Expandable XL CV Boot
- (1) Reusable Cone Tool
- (2) CV Boot Clamps
- (1) Tube of Silicone Lube
- (1) Grease Packet
- (1) Cone Cover
- » 2830526


UTV TRAIL BOOT ONLY

» 2830527


ATV

- » CV REPAIR KIT 2830528
- » TRAIL BOOT ONLY 2830529


HOW TO INSTALL




Remove wheel and axle nut.



Remove brake caliper, hub, tie rod




Remove old boot and clean joint.



Spread silicone lube on entire cone tool. Slide boot over cone tool, large end first. See package for outer boot instructions.



Empty the bag of grease into the CV joint/boot, clean sealing points and install clamps.



Reassemble tie rod, ball joints, brake caliper, axle nut, tire and wheel.

Refer to your service manual for further instructions and torque specifications.
*Designed for temporary CV boot repair. Purchase the DEM CV Boot for a permanent repair.

KEEP IT CLEAN

CLEAN A

ALL-PURPOSE CLEANER

- Professional cleaner, which is formulated with a low pH-value. The product spreads well on surfaces and adheres on them for effective cleaning action. Perfectly compatible with rubber, plastic and painted surfaces. The formulation is biodegradable.
- » 500 ml 502309

SHINE

INSTANT SHINE & DETAILER

- The INSTANT SHINE AND DETAILER is developed for cleaning action without
 water. Removes insects, dust and dirt with almost no effort. Applicable for
 plastics, visors, windscreens, paint and metal. The wipe and shine
 formulation makes surfaces shine, works water repellent and also has an
 antistatic effect. Perfect for customers living in urban areas with no
 access to water, for bike trips or showroom bikes.
- » 500 mLL 502303



BRING IT EVERYWHERE

TRAILERING



CALIBER RAMP PRO

- Designed for ATVs and UTVs up to 127 cm wide
- Integrated grip glides for ultimate
- · Folding sides for easy transportation
- » 132 cm × 229 cm 2884576



ALUMINIUM ARCHED LOADING RAMPS

- Capacity for up to 1,361 kg, 680.7 kg per ramp
- » 193 cm × 30.5 cm 907 kg 2875384
- » 224 cm × 30.5 cm 1,361 kg 2875386



LIGHTWEIGHT TRI-FOLD RAMPS

- · Ramp folds up for transport
- · Capacity for up to 680.7 kg
- · Safety straps included
- » 183 cm × 130 cm 2875385
- » 208 cm × 130 cm 2875860

STRAPS & ROPES



FOLDING ALUMINIUM ARCHED RAMPS

- · Ramp folds up for transport
- Up to 680 kg total capacity, 340 kg per individual ramp
- Safety straps included
- » 224 cm × 30.5 cm 2875387


HITCHES _

3:1 HITCHES

VERSATILE 3 IN 1 FUNCTIONALITY







PIN

- · Ball, hook and pin design
- Durable, rust resistant steel with black powdercoated finish
- · Removable ball
- HD 1.6 cm pin and clip



HITCH WITH 5 cm BALL

- » 5 cm × 5 cm RECEIVER
- » 3 cm × 3 cm RECEIVER 2830523



- 4.8 cm replacement ball for hitch
- Designed to work with 3:1 Hitch
- » 2830524





RECOVERY STRAP

• 8,165 kg maximum load

 Comes with carry bag » 2884033

/ 4,082 kg maximum vehicle weight

RATCHET STRAP

- 5 cm × 6.1 m Ratchet Straps
- · Heavy duty webbing, floating D-rings, double J-hooks
- 4,536 kg maximum load, 1,497 kg working load
- » 2884032



RATCHET STRAP

- · 3.8 cm × 4.6 m straps, 2 Pack
- Heavy duty webbing
- 2,495 kg maximum load, 831 kg working load
- » 2884031



SHOCK STRAPS

- 3.8 cm 1,361 kg breaking strength
- Keeps tension on tie-down straps to secure load, 2 Pack
- » 3.8 cm × 4.6 m 2883296
- » 3.8 cm × 2.1 m 2883295



» 5 cm RECEIVER TONGUE



- » 4.8 cm BALL 2877602
- » 5 cm BALL 2877603

COVERS




TRAILERABLE COVER BY POLARIS

- » 2-SEAT 2881841 POLARIS GENERAL XP 1000 '20-22 POLARIS GENERAL 1000 '16-22
- » 4-SEAT 2881787 POLARIS GENERAL XP 4 1000 22 POLARIS GENERAL 4 1000



POLARIS SxS CAMO FIELD COVER

POLARIS GENERAL XP 1000/4 '20-22 POLARIS GENERAL 1000/4 '16-21





ELEVATE YOUR

ADVENTURE



